

# Work Order ID 86018

June-19-12 4:03:54 PM

**\*86018\***

Page 1

Item ID: D3811-041  
Revision ID:  
Item Name: Seat Track Assembly

Accept

**\*N9000040100\***

Setup Start **\*NS1\***  
Stop **\*NS2\***

Start Date: 19/06/2012 Start Qty: 2.00 **\*2\***  
Required Date: 03/07/2012 Req'd Qty: 2.00 **\*2\***

Cust Item ID:  
Customer:

Reference:

Approvals: Process Plan: MLJ Date: 12/06/20 Tooling:  
QC: Date: SPC (Y/N):

Date:  
Date:

Run Start **\*NR1\***  
Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3811	Rev A

100		0.00							
<b>*100*</b>	Small Fab								
Small Fab	Memo	0.00							
Small Fab	1-Install BUSHINGS AS PER DWG D3811 TORQUING TO 20-25 IN LBS.								

2 FF  
12-07-18

110	QC5- Inspect part completeness to step on W/O	0.00							
<b>*110*</b>									
QC	Memo	0.00							
Quality Control									

DAS  
16  
12/07/19

(P)

120	Identify as per dwg & Stock Location: <u>81254</u>	0.00							
<b>*120*</b>									
Packaging	Memo	0.00							
Packaging									

2x SP  
12-7-23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 86018**

June-19-12 4:03:54 PM

**\*86018\***

Page 2

Item ID: D3811-041

Accept

**\*N900040100\***Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Seat Track Assembly

Start Date: 19/06/2012 Start Qty: 2.00

**\*2\***

Cust Item ID:

Required Date: 03/07/2012 Req'd Qty: 2.00

**\*2\***

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

130

QC21- Final Inspection - Work Order Release

0.00

**\*130\***

QC

Memo

0.00

Quality Control

12/7/24

MF  
12-07-23

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

June-19-12 4:03:58 PM

Page 1

Work Order ID: 86018

\*86018\*

Parent Item: D3811-041

\*D3811-041\*

Parent Item Name: Seat Track Assembly

Start Date: 19/06/2012

Required Date: 03/07/2012

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A New Issue 08-07-31 JLM Verified By:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3811-1 *D3811-1* Seat Track		Manufactured	No			100	Each	4.0000	1	2			
									**			(2) FF 12-07-18	
					<u>Location</u>	<u>Loc Qty</u>		<u>Loc Code</u>					
					ST262	4							
					83546	4				2			
D3811-3 *D3811-3* Bushing		Manufactured	No			100	Each	37.0000	4	8			
									**			(2) FF 12-07-18	
					<u>Location</u>	<u>Loc Qty</u>		<u>Loc Code</u>					
					ST064	37							
					44040	2							
					44348	35				3			
MS21042L3 *MS21042L3* Nut		Purchased	No			100	Each	1,672.000	2	4			
									**			(2) FF 12-07-18	
					<u>Location</u>	<u>Loc Qty</u>		<u>Loc Code</u>					
					ST300	1672							
					117885	32							
					119017	816							
					119075	138							
					121444	686				4			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

June-19-12 4:03:58 PM

Page 2

Work Order ID: 86018

Parent Item: D3811-041

Parent Item Name: Seat Track Assembly

\*86018\*

\*D3811-041\*

Start Date: 19/06/2012

Required Date: 03/07/2012

Start Qty: 2.00

Required Qty: 2.00

MS27039-1-15

Purchased

No

100

Each

31.0000

2

4

\*MS27039-1-15\*

Screw

\*\*

② FF 12-07-08

Location

Loc Qty

Loc Code

ST291

31

118574

2

119736

1

121243

28

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
24

# Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



QTY -041	P/N	DESCRIPTION
X	D3811-041	SEAT TRACK ASSEMBLY
1	D3811-1	SEAT TRACK
4	D3811-3	BUSHING
2	MS21042L3	NUT
2	MS27039-1-15	SCREW



SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 86018 MCT  
12/06/20

**D3811-041 SEAT TRACK ASSEMBLY**

**RELEASED**  
08-09-30/10

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART ASSEMBLY P/N D3811-041 & B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.76 lbs
- 8) TORQUE FASTENERS TO 20-25 in-lbs

A	NEW ISSUE	RF	08.08.18
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	RF		
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	08.08.18		

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D3811** REV. A  
SHEET 1 OF 3  
TITLE **SEAT TRACK ASSEMBLY** SCALE NTS

COPYRIGHT © 2006 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  
WRITTEN PERMISSION FROM DART AEROSPACE LTD

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

8 7 6 5 4 3 2 1



SECTION A-A






DETAIL B

D3811-1 SEAT TRACK

NOTES:

- 1) MATERIAL: 6061-T6 (OR T651/T6510/T6511/T62) ALUMINUM BAR PER AMS-QQ-A-200/8 (OR AMS 4160) OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) (REF. DART SPEC. M6061T6B)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE ARROW & FWD AS SHOWN USING 0.25 HIGH LETTERS TO MAX DEPTH OF 0.005
- 7) WEIGHT: 0.724 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3811	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		SEAT TRACK ASSEMBLY	NTS
DATE	08.08.18	COPYRIGHT © 2008 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector




Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

26018



**D3811-3 BUSHING**

**RELEASED**  
68 09 30 14

**NOTES:**

- 1) MATERIAL: 6061-T6 (OR T651/T6510/T6511/T62) ALUMINUM ROUND BAR PER AMS-QQ-A-200/8 (OR AMS 4160) OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) (DART REF. SPEC. M6061T6R)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.003 lbs

DESIGN	RF	<b>DART AEROSPACE LTD</b>	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3811	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		SEAT TRACK ASSEMBLY	NTS
DATE	08.08.18	<small>COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries